



**Sport Science Faculty
Surabaya State University**

Grants this

CERTIFICATE
To

Dr. Agus Hariyanto, M.Kes.
as Participant

in the International Seminar of Sport and Exercise Science 2014

entitled

**“Sport and Exercise Science for Sport Performance
and Health Enhancement”**

Surabaya, Indonesia, on October 21-22, 2014



Prof. Dr. Warsono, M.S.
Rector Surabaya State University





Sport Science Faculty
State University of Surabaya
Present

ISBN 978-602-17477-1-1

Proceeding is ses 2014

International Seminar of Sport
and Exercise Science 2014

Surabaya - Indonesia, on October 21-22, 2014



www.isses-fik.org

www.isses-fik.org



Proceeding Is ses 2014
Sport Science Faculty - State University of Surabaya

Proceeding. ISSES 2014

**International Seminar of Sport
and Exercise Science 2014**

Surabaya - Indonesia, on October 21-22, 2014

Diterbitkan atas kerjasama:



Proceeding

International Seminar of Sport and Exercise Science 2014

Surabaya -Indonesia, 21-22 October, 2014

Penyusun:

Koon Teck Koh, Soetanto Hartono, Greg Wilson, Lim Boon Hoi, Siti Baitul dkk, Murkadri Bambang Ferianto, Beatrix Jetje, Endang Sri Wahjuni, Erwin Setyo K, Hajar Danardono, Heri Pendianto, Junaidi, Kunjung Ashadi, Luqmanul Hakim, Nolfie Piri, Hari Setijono dkk, Nur Ahmad dkk, Pamuji Sukoco, Risfandi dkk, ritoh Pardomuan, Saifu, Suharjana dkk, Suprayitno, Syarif Hidayat, Advendi Kristiyandaru dkk, Anung Priambodo, Dewi E dkk, Miftakhul Jannah, Nining WK, Rachman W, R. Syaifullah, Edy Mintarto, Yusmawati dkk, Amrozi K dkk, Agus Haryanto, Chien-Wen Hou dkk, Muhammad.

Desain dan layout:

Ton's - Oky

Katalog Dalam Terbitan (KDT) :

ISBN: 978-602-17477-1-1

Cetakan pertama, November 2014- Diterbitkan

atas kerjasama:



Fakultas Ilmu Keolahragaan Universitas Negeri Surabaya November 2014



Lini penerbitan CV. Rizki Aulia Group
Jl. Lidah Wetan Gg. VI NO.3 Surabaya
Phone/Fax:+62317522851
e-mail: taburkata@yahoo.com/taburkata@gmail.com
www.taburkata.com

UNDANG-UNDANG REPUBLIK INDONESIA
NOMOR 19 TAHUN 2002
TENTANG HAK CIPTA Pasal 72

1. Barangsiapa dengan sengaja dan tanpa hak melakukan perbuatan sebagaimana dimaksud dalam Pasal 2 ayat (1) atau Pasal 49 ayat (1) dan ayat (2) dipidana dengan pidana penjara masing-masing paling singkat 1 (satu) bulan dan/atau denda paling sedikit Rp 1.000.000,00 (satu juta rupiah), atau pidana penjara paling lama 7 (tujuh) tahun dan/atau denda paling banyak Rp 5.000.000.000,00 (lima miliar rupiah).
2. Barangsiapa dengan sengaja menyiaran, memamerkan, mengedarkan, atau menjual kepada umum suatu Ciptaan atau barang hasil pelanggaran Hak Cipta atau Hak Terkait sebagaimana dimaksud pada ayat (1) dipidana dengan pidana penjara paling lama 5 (lima) tahun dan/atau denda paling banyak Rp 500.000.000,00 (lima ratus juta rupiah).

WELCOME

Dear colleagues and friend,

On behalf of the School of Sport Sciences, Surabaya State University, I have the honor to announce Surabaya as host city of the International Seminar of Sport and Exercise Science (ISSES), entitled "Sport and Exercise Science for Sport performance and Health Enhancement. Herewith I welcome academicians and Students of Physical Education and Sport Science from any regions in Indonesia on October 21st and 22nd , 2014. This is the first time the School of Sport Science Surabaya State University organizes an International Seminar, and I hope it will provide great opportunity to promote and develop Sport Science through networking, study, and research.

I hope in the future this kind of event would be under the patronage of the Ministry of Youth and Sport. I would like to express gratitude to the guest speakers of this seminar, namely: Prof Dr Supranee Kwanboonchan from Srinakharinwirot University, Thailand, Prof Dr Lim Boon Hooi from University of Malaya, Malaysia, Prof Dr Koh Koon Teck from Nanyang Technological University, Singapore, Prof Dr Chia Hua Kuo, Dean of Research, Taipei University, Taiwan, and Dr Gregory J Wilson, from The University of Western Australia, Sport Consultant of Indonesian Olympic Committee.

We are confident that you will enjoy the whole conference experience, sharing knowledge and ideas, and eventually make contributions to the advancement of Sport and Exercise Science.

Organizing Committee Chairman,

Prof Dr Soetanto Hartono, DDS, MSc

Table of contents	page
1. Reflective Practice for Coaches and Athletes. Koon Teck KOH, Ph.D.	3
2. The Effects of Sodium Bicarbonate and Sodium Citrate on Sport Performance of Badminton Players. Hartono Soetanto*, Sukadiono**	27
3. The Application of Sport Science in Developing Elite Indonesian Athletes. Dr Greg Wilson, PhD	34
4. Major Variables in Designing a Resistance Training Program Dr Lim Boon Hooi. Sports Centre, University of Malaya	50
5. Effect of Aquarobics Exercise Program on Adiponectin and IL-6 level in Obese Women. Siti Baitul Mukarromah, Hardhono Susanto, Ign. Riwanto, Tandiyo Rahayu, Chia-Hua Kuo	59
6. Development Models Hockey Games 25. Yan Indra Siregar, Ibrahim, Nurkadri*	77
7. The Role of Reinforcement and Punishment and Student Motivation in Learning Physical Education, Sports and Health Drs . Bambang Ferianto Tjahyo Kuntjoro M.Pd	90
8. Role of Management to Learning Achievement of Student of Faculty of Sport Science of Manado State University. Beatrix Jetje Podung	104
9. The Effet of Swimming for Control Salmonella typhi to the Intestinal Epithel of Wistar Mice. Endang Sri Wahjuni	107
10. Building a Golden Generation that is Humanist through Pencak Silat Erwin Setyo Kriswanto	114
11. Improving the Quality of Life through Sport. HAJAR DANARDONO	121
12. The Difference Effect of Learning Model, Life Model, and Video Model on Increased Learning Results on the Swimming 50 m in the Front crawl Style Judging from Motor Ability. Heri Pendianto	129
13. Profiles of Biomotor Ability in Both Male and Female Softball Athletes of Indonesian Gold Program 2014 Junaidi	141
14. The Implementation of Sport Physiology to Support Sports Achievement Kunjung Ashadi, S.Pd., M.Fis., AIFO	150
15. Method for Improving the Wall Volley Skill Games Stroke in Table Tennis Luqmanul Hakim, S.Or., M.Pd	166
16. Modified Softball for the Students at State Primary School 1 Tosuraya Ratahan NPRTH Sulawesi. Nolfie Piri	179

17.Improving Flexibility, Balance, and Coordination with PORPI Yoga Gymnastics among Indonesian Middle Aged Noortje Anita Kumaat, Hari Setijono, Soetanto Hartono	188
18.The Effects of Arms Power Training and Leg Muscle Strength Training to Accuracy of Jumping Smash Hit on Student Club Badminton in Unesa. Nur Ahmad Arief, Moch. Purnomo	196
19.Development of Basic Movement Learning Model Integrated with Math Skill for the Primary School Student Grade 1. Pamuji Sukoco	213
20.Effect of High-Intensity Interval Training (HIIT) to the Improvement of Maximal Oxygen Uptake (VO2max) (Study at UKM Sport at STKIP PGRI Jombang) Risfandi Setyawan, Wahyu Indra Bayu	226
21.Development of Instruments Shooting Test In Speed Spot Shooting Test In Basketball. Ritoh Pardomuan, S.Or., M.Pd.	243
22.Applying Concentrated Solution of Palm Sugar + 5% NaCl prior to Exercising and its Effects on Aerobic Endurance. Saifu	255
23.Effectiveness Analysis of Motion in Learning Physical Education (Study of Sports Biomechanics). Suharjana, Widiyanto, Ria Lumintuарso	276
24.Effect of Teaching Style, Crawl Stroke and Flexibility of the Butterfly Stroke. Suprayitno	285
25.Character Building through Sports Tourism. Syarif Hidayat	298
26.The Building of Sport Industrial Development based on Sport	
27.Activity Management Regulatory Approach. Advendi Kristiyandaru, Fifukha Dwi Khory	307
28.Effect of Motivational Climate on Intrinsic Motivation, Self Discipline and Student Motor Skill in Learning Physical Education, Sport and Health. Anung Priambodo, S. Pd, M .Psi.T	320
29.Development of a Model of Physical Education for Elementary School Students Build Character in Medan. Dewi Endriani , Indah Verawati , Andarias Ginting	333
30.Coach-Athlete Communication and Hockey Athletes' Achievement	

Motivation. Miftakhul Jannah	345
31. Anthropometric and Physical Fitness Characteristics of Male Junior Taekwondo Athletes. Nining Widyah Kusnanik	349
32. Psychological Capital Profile of Student Athletes in Senior High School of Sport. Rachman Widohardhono	355
33. Risk Management Method for Managing Violence Spectator in Soccer events. R.Syaifulah D.Sihombing	360
34. Evaluation of Management Guidance Athletics Sports PASI Jatim. Edy Mintarto	368
35. Raising Learning Achievement Sprint Running Exceed of Playing Approach in 7th Grade Students of Kisaran 6 Junior High School. Yusmawati, Devi Catur	378
36. Sports Management Implementation in Extracurricular Sport Activities. Amrozi Khamidi, Gatot Darmawan, Setiyo Hartoto	379
37. Effect of Box Jump Training With Interval Training Method 1 : 2 and Interval 1 : 3 Against Increasing the Power. Agus Hariyanto	388
38. Ergogenic property of the insulin-sensitizing ginsenoside Rg1 Chien-Wen Hou, Chih-Yang Huang, Shin-Da Lee, I-Shiung Cheng, Yu-Nan Lin, Sheng-Ju Chuang, Chung-Yu Chen, John L. Ivy, Chun-Lan Kao, Chia-Hua Kuo.	400

Effect of Box Jump Training With Interval Training Method 1 : 2 and Interval 1 : 3 Against Increasing the Power

Agus Hariyanto

Abstract

The aim of this study was to determine whether there was a difference between the effect of the training box jumps with interval training method 1:2 and the training box jump with interval training method 1:3 to the increase in power. The method used was a quasi-experiment study design with pre-test post test group design. The subjects of this study were students majoring 2009 class of sports coaching education between the ages of 19-20 years , amounting to 24 people. The collected data is the result of the initial test and final test using the Test Power Power (Force plate/Accu Power Verton 1.3).

Analysis used t-tests on paired sample t-test. The results in group 1 (treated the box jump with interval training method 1:2) between the data pre-test and post-test showed that the value of ($t = 10.514$) and a probability value ($p = 0.000 < 0.05$). In group 2 (treated the box jump with interval training method 1:3) between the data pre-test and post-test shows that the value of ($t = 17.952$) and a probability value ($p = 0.000 < 0.05$). Group 1 and group 2 shows that the value of ($t = 12.070$) and a probability value ($p = 0.000 < 0.05$). Conclusion Training box jump performed by method of interval training 1:2 and 1:3 could significantly improve the power capability and training box jump with interval training method 1:2 and 1:3 gave significantly different effect on the power.

Key word: Box Jump, Interval Training

Introduction

In general, almost all sports require a physical power, especially sports games for example basketball, football, volleyball, hockey, badminton, etc, which played out in the form of individual and team. The physical power can be achieved through training, with regard to the principles of training and accuracy in choosing the type of exercise or training method.

In examination of the training, there are four aspects that must be considered in an effort to achievement of an athlete is the physical aspect, techniques, tactics, and mental aspects (Bompa, 1994; Harsono, 1988). The physical condition of the sports games are generally divided into two parts, consisting of the general physical condition (general physical conditioning) and specific physical conditions (specific conditioning) adapted to the characteristics of each sport. Good physical condition can only be achieved through hard practice and how the practice is not quite so alone, but must be specially prepared in accordance with the needs of each sport he participated in (Fox , 1993) .

In some sports games, such as movement and block in the volleyball smash, slam-dunk and jump shot in basketball, and jump-smash in badminton, the physical elements of the dominant use of reactive power or the landing and take-off power, then the quality of the power limb should really be considered as the most important motor skills (Bompa, 1993).

In an effort to improve the physical condition of many methods that can be used, but the methods of practice which leads to increased endurance capacity is interval training. Within 12 weeks, the length of interval training and short interval training can physiologically improve endurance capacity, but with a short interval training is more effective to increase anaerobic capacity, so exercise with short intervals may be recommended for the physical preparation for field hockey players and sports teams another high-intensity considers that aerobic and anaerobic capacity is important (Stagno KM, et al, 2004).

For some sports such as football, badminton, hockey, basketball, rugby, tennis courts, and so forth, interval training methods may be more appropriate than the method of continuous exercise. Because the method of interval training can improve

aerobic power and improve cardiorespiratory endurance without reducing its effect in increasing the anaerobic power (Sport Fitness Advisor, retrieved July 8, 2009). The advantage of this interval training can accurately determine the load, can see progress quickly (boost energy and physical conditions and can be done more efficiently).

The exercise that leads to physical conditions, one of them is a plyometrics workout. There were a lot of variety of plyometric exercises included depth jumps, cone jumps, box jumps, jump rope, and much more. A good exercise is one that resembles the actual needs of the energy system. Training methods that lead to anaerobic energy systems development is of interval training. Until now there has been obtained specifically what kind of interval training method that can improve the physical condition necessary and in accordance with the sport in question. For this reason the study was conducted.

Objectives

The aim of this study was to determine whether there is a difference between the effect of the training box jumps with interval training method 1:2 and the training box jump with interval training method 1:3 to the increase in power .

Methods

The method used in this study is a quasi-experimental methods. Research design randomize the group pre test post test design (Nasir, 2003). Using a quasi-experimental method because the researcher can not control all the outside studied fariabel that can affect the results of the research, such as: the length of time to sleep, food intake of each subject every day, other activities outside the research is conducted activities, and so on.

Subject

The subjects in this study were male student class of 2009 sports coaching education between the ages of 19-20 years, amounting to 24 people. The subjects were divided into two groups by random. Each group consisted of 12 people. Group 1 was treated Box Jump with interval training method 1:2 while the group 2 was treated Box Jump with interval training method 1:3.

Measurement

The data collected in this study is the result of the pre-test and post-test of Power. Measuring instrument used to measure power is the Power Test (Force plate/Accu Power Vention 1.3). How to use the tool and perform the test is as follows :

1. Prepare the tool force plate.
2. Insert the USB plug into the computer.
3. Insert the power supply cord into a power outlet (220 volts).
4. Insert the RJ 45 plug into force plate.
5. Enable Power Accu software.
6. Let the tool for approximately 20 minutes so that all the sensors are on the warm and the working temperature.
7. Enter the patient name, id, and the type of test to be performed. Test Time can be set to follow the default, or it can also be set as needed.
8. Perform zeroing (Zero Force Plate).
9. Perform the measurement of the sample weight (Weight Subject). Depending on the types of tests performed, measurements can be carried too heavy a load (Loaded Weight).

10. Click start test, the sample is instructed to perform activities according to the type of tests performed (eg, vertical jump, standing broad jump, or lift weights/dumbbells).
11. After the test is finished, analyze the results of tests and do not forget to do data storage (save data).
12. To see the comparative data or data from previous samples, click on the file, patient, and select the data subject by the name of the subject that has been previously saved.




Figure 1. Force plate / Accu Power Version 1.3

Treatment

After the subjects were divided into 2 groups, the next step is to give treatment in each group. Group 1 was treated with a box jump with interval training method 1:2 and group 2 was treated box jump with interval training method 1:3. The implementation, the subject standing on a box with a length of 50 cm, width 50 cm, height 40 cm, then jump up and down a box with two feet together backwards, sideways or laterally left and right always return to the top of the box. Each return to the top of the box count 1 (one) and carried out continuously for 15 seconds with the number of repeat 16-18 times, this is called one repetition. Leap backwards, laterally right and left aside in accordance with the instructions of the wizard. Exercises performed between 4 to 5 repetitions and as many as 3 to 5 sets. Resting between repetition for interval training method 1:2 is 30 seconds and for interval training method 1:3 is 45 seconds, while the rest between sets is 5 minutes, and the rest is kind of passive rest.

Statistical Analysis

Analysis techniques in this study include the following descriptive analysis of the data, normality test using the Kolmogorov-Smirnoff test. If the normal distribution of data it will be paired sample t-test with a significance level ($p < 0.05$). Statistical calculation using the statistical program assistance package for social science (SPSS) version 16

Results

1. Description of Data

The results of measurements and descriptive analysis of data pre-test variable power in the group given exercise box jump with interval training method 1:2 is the number of subjects ($n = 12$), the minimum value (189.00), maximum value

(310.00), average value (230.58), and the standard deviation (37.36). The results of measurements and descriptive analysis of data pre-test variable power in the group given exercise box jump with interval training method 1:3 is the number of subjects (n = 12), the minimum value (159.00), maximum value (331.00), average value (228.83), and the standard deviation (52.53).

The results of measurements and descriptive analysis of data post-test variable power in the group given exercise box jump with interval training method 1:2 is the number of subjects (n = 12), the minimum value (205.00), maximum value (319.00), the value average (250.67), and the standard deviation (34.41). The results of measurements and descriptive analysis of data post-test variable power in the group given exercise box jump with interval training method 1:3 is the number of subjects (n = 12), the minimum value (207.00), maximum value (412.00), the value average (289.83), and the standard deviation (60.85).

The results of the measurement and descriptive analysis of difference data between a post-test to pre-test (delta) variable power in the group given exercise box jump with interval training method 1:2 is the number of subjects (n = 12), the minimum value (7.00), the maximum value (27.00), the average value (17.00), and the standard deviation (5.80). The results of the measurement and descriptive analysis of difference data between a post-test to pre-test (delta) variable power in the group given exercise box jump with interval training method 1:3 is the number of subjects (n = 12), the minimum value (47.00), maximum value (81.00), the value average (61.00), and the standard deviation (11.77). In summary it can be seen in table 1 below.

Table 1. Description of Data Power Measurement Results In 2 Groups

	N	Range	Minimum	Maximum	Mean		Std. Deviation
	Statistic	Statistic	Statistic	Statistic	Statistic	Std. Error	Statistic
PwrPree1	12	121.00	189.00	310.00	230.5833	10.78471	37.35933
PwrPost1	12	114.00	205.00	319.00	247.5833	10.02380	34.72347
PwrPree2	12	172.00	159.00	331.00	228.8333	15.16067	52.51811
PwrPost2	12	205.00	207.00	412.00	289.8333	17.56625	60.85128
Delta1	12	20.00	7.00	27.00	17.0000	1.67423	5.79969
Delta2	12	34.00	47.00	81.00	61.0000	3.39786	11.77053
Valid N (listwise)	12						

2. Normality Test

Normality test performed on each group of data, both pre-test and post-test on the dependent variable. Normality test is intended to determine whether the distribution of the data in this study are not normally distributed or as a prerequisite parametric statistical tests. statistical test for normality using the Kolmogorov Smirnoff test. The determination of whether or not the distribution of the normal data using a significance level ($\alpha = 0.05$) or ($p < 0.05$). Criteria testing, if the probability value ($p > 0.05$), the distribution of data is considered normal, and if the probability value ($p < 0.05$), the distribution of the data in this study is not considered normal.

Results of normality test of data distribution both in the pre-test group box jump with interval training method 1:2 and with the interval training method 1:3 are presented in Table 2 below.

Table 2. Results of Normality Test Pre -test data

Groups	Dependent variable (power)	Description	Status Normality
<i>Box Jump 1:2</i>	0,520	$P > 0,05$	Normal
<i>Box Jump 1:3</i>	1,000	$P > 0,05$	Normal

Results of normality test of data distribution both in the post-test group box jump with interval training method 1:2 and with the interval training method 1:3 are presented in Table 2 below.

Tabel 3. Results of Normality Test Post-test data

Groups	Dependent variable (power)	Description	Status Normality
<i>Box Jump 1:2</i>	0,705	$P > 0,05$	Normal
<i>Box Jump 1:3</i>	0,986	$P > 0,05$	Normal

3. T- test

From the calculation of the t-test statistics (paired sample t-test) in group 1 (one) were treated the box jump with interval training method 1:2 between the data pre-test and post-test shows that the value of ($t = 10.514$) and a probability value ($p = 0.000 < 0.05$). This indicates that there is a significant effect of training box jumps with interval training method 1:2 to increase power. In group 2 (two) were treated the box jump with interval training method 1:3 between the data pre-test and post-test shows that the value of ($t = 17.952$) and a probability value ($p = 0.000 < 0.05$). This indicates that there is a significant effect of training box jumps with interval training method 1:3 to increase power. While the between group 1 and group 2 shows that the value of ($t = 12.070$) and a probability value ($p = 0.000 < 0.05$). This suggests that

there are differences in the effect of significantly between group 1 and group 2 to increase power.

DISCUSSION

Box jump is one type of plyometric exercises. Plyometric term was first coined in 1975 by Fred Wilt, an American citizen. Plyometric is derived from the Latin meaning *plyo* and *metrics* measurable improvement (Chu, 1998). Based on some of the figures that define the notion of plyometric can be explained as follows: plyometric exercises are exercises that allow muscles to reach maximum strength in a short time. Another name is the plyometric stretch shortening cycle (Chu, 1998; Diallo, 2001). According to Radcliffe and Farentinos (1985) plyometric exercise is an exercise that has specificity, ie muscle contraction which is very strong response and dynamic loading or rapid strain of the muscles involved .

The implementation of box jump is preceded by standing on the box measuring 50 cm long, 50 cm wide, and 40 cm high, then jump up and down the box with two feet together backwards, sideways or laterally left and right always return to the top of the box. Each return to the top of the box is calculated and carried out continuously for 15 seconds (one repetition) by the number of repeat 16-18 times. Direction leap backwards, laterally right and left aside in accordance with the instructions of the wizard.

Subjects in the exercise were directed to follow guides and always jumps back to the top of the box, thus jumping movement of the subject when it hits the floor immediately make the leap to the top of the box. This movement can stimulate the subject of exercise to an increase in power. During the execution of the exercise

heart rate is monitored manually whether in doing the exercises included in the training zone or not. Of the work manually, the subjects entered the exercise zone.

Box jump training given to the subject of the research carried out by the method of interval training. Interval training is an exercise that is sparsely distributed between loading exercises with rest periods. In interval training can be done with high intensity and low intensity, depending on the physical condition needs to achieve. Steven M. Cohen (2008) stated that high intensity interval training can be defined as a form of competitions or movements in the short intense exercise performed at intervals followed by low-intensity exercise as a recovery of the interval.

A variety of interval training program that corresponds to the energy system according to Fox (1993), Bompa (1994), Bower (1992) can be seen in the table 4 below:

Table 4. Interval Training Program Model

Major Energy Sistem	Training Time (Min:Sec)	Repetition Per Work out	Sets Per Workout	Repetition Per Set	Work Relief Ratio	Type of Relief Interval
ATP-PC	0 : 10	50	5	10		Res-Relief
	0 : 15	45	5	9		Res-Relief
	0 : 20	40	4	10	1:3	
	0 : 25	32	4	8		
ATP-PC LA	0 : 30	25	5	5		Work-Relief (e.g. Light top mild exercise)
	0:40-0:50	20	4	5	1:3	
	1:00-1:10	15	3	5		
	1:20	10	2	5	1:2	

LA O2	1:20-2:00	8	2	4	1:2	Work- Relief
	2:10-2:40	6	1	6		
	2:50-3:00	4	1	4		
O2	3:00-4:00	4	1	4	1 : 1	Work- Relief
	4:00-5:00	3	1	3	1 : ½	

From the table 4 above can be made form of exercise that is tailored to what the energy system will be developed. This form of exercise should be adjusted to the intensity of work, a long phase of work in progress or distance covered in a working phase.

The analysis showed that in group 1 were given exercise box jump with interval training method 1:2 and group 2 were given exercise box jump with interval training method 1:3 there is a significant difference between the pre-test to post-test on the variable power. Thus it can be preted that the type of exercise box jump with interval training method 1:2 can significantly enhance the ability to power an average increase of 17.00 watts, while exercise box jump with interval training method 1:3 can significantly improve the power capability an average increase of 61.00 watts,

The elements of hysical condition of power, strength, and speed there is a relationship of inter-related and affect positively (Bompa, 1999). As one of the types of exercises that can be used to increase power is plyometric, and one of its kind is the box jump. This is in accordance with the opinion Ebben (2007) which states that if an increase in variables such as speed, jumping ability, and agility is the purpose of the exercise, it is a type of plyometric exercises most suitable. That's because plyometric exercise is an exercise that has specificity, ie a very strong muscle contraction which is the response and dynamic loading or rapid strain of the muscles involved. So

plyometric exercises when applied to interval training method 1:2 and 1:3 can increase the power.

CONCLUSION

Based on these results it can be concluded that the

1. Training box jump is performed by the method of interval training 1:2 and 1:3 can significantly improve the power capability.
2. Training box jump with interval training method 1:2 and 1:3 gave significantly different effect on the power.

REFERENCES

Bompa T.O, 1993. *Periodization of Strength*. New Weve in Strength Training Veritas Publishing Inc., Toronto.

Bompa TO, 1994. *Theory and Methodology of Training: The Key to Athletic Performance*. Kendal Hunt Publishing and Co., Dubuque, Iowa

Bompa T.O, 1999. *Periodization Training For Sports*. Champaign, IL : Human Kinetics.

Bowers RW, and Fox EL, 1992. *Sport Physiology*. Wm C, Brown Publishing, PP. 12-36, 74-237. New York.

Chu, D.A. 1998. *Jumping Into Plyometrics*. Illionis : Leisure Press, pp. 1,3,37.

Diallo O, dote E, Duche P, Praagh EV, 2001. *Effect of Plyometric Training Followed by a Reduce Training Programme on Physical Performance in Prepubescent Soccer Players*. Journal of. sport Medicine and Physical Fitness, :41(3) pp : 342-8 (diunduh tanggal 11 Juli 2005).

Ebben W. P. 2007. *Practical Guidelines for Plyometric Intensity*. Journal NSCA'S Performance Training. Oktober 2007. Vol. 6, No. 5, pp 12-14.

Fox EL, Bowers RW, & Foss ML, 1993. *The Physiological Basis of Physical Education and Athletics*. Saunders College Publishing. Philadelphia. New York.

Harsono, 1988. *Coaching dan Aspek-aspek Psikologis dalam Coaching*. PPLPTK, Dirjen. Dikti. Departemen Pendidikan dan Kebudayaan. Jakarta.

Nasir M, 2003. *Metode Penelitian*. Gramedia. Jakarta.

Radcliffe J.C, Farentinos, R.C. 1985. *Plyometrics : Explosive Power Training*. Human kinetics Publisher, inc, Campaign, Illionis, pp.3,15,50.

Sport Fitness Advisor, *Interval Training is Suitable for Many Sport*,
file:///D:/materi%20draf%20disertasi/Interval%20training%20for%20sport
%20specific%20endurance.htm. (diunduh tanggal 8 Juli 2009).

Stagno K.M, R. Thatcher and K.A. van Someren. 2004. *The Efficacy of Two Interval Training Regimens on Physiological Parameter in Field-hockey Players*. *Journal of Sport Sciences* 22.3 (March 2004): p290 (1).

Steven M. Cohen, 2008. *High Intensity Interval Training A Better Exercise Program for Fat Loss*.

file:///E:/Journal%20and%20artikel/High%20Intensity%20Interval%20Training.htm. (diunduh tanggal 23 Maret 2009).