



Feedback via the Online Submission - [MECH] - Paper ID -I088098 Inbox x



IJSER Research Publication ijser.editor@ijser.org via sendgrid.me
to me, ijser.editor

Wed, Aug 17, 2016, 12:52 PM ☆ ↶ ⋮

Dear Author,

Thanks for contacting IJSER !

We have successfully received your paper.

Paper Title:	Performance of Combined Vertical Axis Wind Turbine blade between airfoil NACA 0018 with Curve Blade with and without Guide vane
Author*:	Indra Herlamba Siregar
Email*:	indrasiregar@unesa.ac.id
Abstract*:	This article proposes a model design of vertical axis wind turbine with blades hybrid is a combination of NACA 0018 airfoil profile blades and curve C with and without a guide vane tested with 4 subsonic wind diterowongan Reynolds number. Results of the study describes the addition of guide vane in the wind turbine model is able to improve the performance of wind turbine models significantly. The increase in performance compared to using the guide vane wind turbine model without a guide vane on the condition of a maximum of 150%, besides the addition of guide vane is able to improve self-starting wind turbine model.
Attach Research Paper*:	Performance of Combined Vertical Axis Wind Turbine blade between airfoil NACA 0018 with Curve Blade with and without Guide vane.docx
Country*:	Indonesia

The result of peer review will be mailed to you once the review process complete.

For any future communication, kindly refer your Paper ID - I088098.

Activate Windows
Go to Settings to activate Windows

Feedback via the Online Submission - [MECH] - Paper ID -I088098 Inbox x

IJSER Research Publication ijser.editor@ijser.org via sendgrid.me
to me, ijser.editor

Wed, Aug 17, 2016, 12:52 PM



Dear Author,

Thanks for contacting IJSER !

We have successfully received your paper.

Paper Title: Performance of Combined Vertical Axis Wind Turbine blade between airfoil NACA 0018 with Curve Blade with and without Guide vane

Author*: Indra Herlamba Siregar

Email*: indrasiregar@unesa.ac.id

Abstract*:

This article proposes a model design of vertical axis wind turbine with blades hybrid is a combination of NACA 0018 airfoil profile blades and curve C with and without a guide vane tested with 4 subsonic wind diterowongan Reynolds number. Results of the study describes the addition of guide vane in the wind turbine model is able to improve the performance of wind turbine models significantly. The increase in performance compared to using the guide vane wind turbine model without a guide vane on the condition of a maximum of 150%, besides the addition of guide vane is able to improve self-starting wind turbine model.

Attach Research Paper*: Performance of Combined Vertical Axis Wind Turbine blade between airfoil NACA 0018 with Curve Blade with and without Guide vane.docx

Country*: Indonesia

The result of peer review will be mailed to you once the review process complete.

For any future communication, kindly refer your Paper ID - I088098.

Activate Windows

Go to Settings to activate Windows



Type here to search



25°C CeraH

5:48

05/01/2023

Feedback via the Online Submission - [MECH] - Paper ID -I088098 Inbox x

IJSER Research Publication ijser.editor@ijser.org via sendgrid.me
to me, ijser.editor

Wed, Aug 17, 2016, 12:52 PM



Dear Author,

Thanks for contacting IJSER !

We have successfully received your paper.

Paper Title: Performance of Combined Vertical Axis Wind Turbine blade between airfoil NACA 0018 with Curve Blade with and without Guide vane

Author*: Indra Herlamba Siregar

Email*: indrasiregar@unesa.ac.id

Abstract*: This article proposes a model design of vertical axis wind turbine with blades hybrid is a combination of NACA 0018 airfoil profile blades and curve C with and without a guide vane tested with 4 subsonic wind diterowongan Reynolds number. Results of the study describes the addition of guide vane in the wind turbine model is able to improve the performance of wind turbine models significantly. The increase in performance compared to using the guide vane wind turbine model without a guide vane on the condition of a maximum of 150%, besides the addition of guide vane is able to improve self-starting wind turbine model.

Attach Research Paper*: Performance of Combined Vertical Axis Wind Turbine blade between airfoil NACA 0018 with Curve Blade with and without Guide vane.docx

Country*: Indonesia

The result of peer review will be mailed to you once the review process complete.

For any future communication, kindly refer your Paper ID - I088098.

Activate Windows

Go to Settings to activate Windows



Type here to search



ISSN 2229-5518

CERTIFICATE OF ACCEPTANCE

**International Journal of Scientific & Engineering Research
(IJSER)**




THIS IS TO CERTIFY THAT OUR REVIEW BOARD HAS ACCEPTED RESEARCH PAPER OF

Indra Herlamba Siregar

Performance of Combined Vertical Axis Wind Turbine blade between airfoil NACA
0018 with Curve Blade with and without Guide vane

August 20, 2016

Visit us at: www.ijser.org



Editor in Chief