

The influence the applied of social restrictions large scale covid-19 the use of the motor vehicle and industry fuel oil consumption and the air quality in the Surabaya City

by Muhaji Muhaji

Submission date: 31-Mar-2023 11:09AM (UTC+0700)

Submission ID: 2051711905

File name: Muhaji_2021_IOP_Conf._Ser._Mater._Sci._Eng._1034_012055.pdf (1.06M)

Word count: 2642

Character count: 13801

PAPER · OPEN ACCESS

The influence the applied of social restrictions large scale covid-19 the use of the motor vehicle and industry fuel oil consumption and the air quality in the Surabaya City

To cite this article: Muhaji *et al* 2021 *IOP Conf. Ser.: Mater. Sci. Eng.* **1034** 012055

View the [article online](#) for updates and enhancements.



240th ECS Meeting ORLANDO, FL

Orange County Convention Center Oct 10-14, 2021

Abstract submission due: April 9

SUBMIT NOW

The influence the applied of social restrictions large scale covid-19 the use of the motor vehicle and industry fuel oil consumption and the air quality in the Surabaya City

Muhaji*, Wayan Susila, Aris Ansori, Mohammad Effendy, Heru Arizal

Department of Mechanical Engineering, Universitas Negeri Surabaya

Ketintang Campus, Surabaya 60231, Indonesia

*Email: muhaji61@unesa.ac.id

Abstract. Indonesia is a country in Southeast Asia with cases covid-19 most confirmation details cases 118.753 confirmation, 75.645 cured, treated 37.587 and 5.521 died August 6th 2020, while the provincial government in Indonesia East Java Province is COVID-19 most cases. Any effort has been done to prevent risk transmission of, efforts to the latter is social restrictions large scale. The purpose of this research is to know how much the decrease in the use of the motor vehicle and industry fuel oil consumption and the increase in the air quality in Surabaya city. This research includes the kind of research survey. Sample and population the research is PT Pertamina Marketing Operation Region V Surabaya Jl. Wonokromo 88 Surabaya and the Environmental office Surabaya city Jl. Jimerto No 25-27 Surabaya. The data in this research was obtained through, interview techniques observation and document study. The research results show that the decrease the average daily consumption of the motor vehicle fuel premium and Pertamina series 24.92%, biodiesel and Dex series 27.54%. With air quality better this is apparent from the air of particles of a decrease in the concentration (PM 10) 39.71%, and gas levels SO₂ 20.45%, CO 17.35%, O₃ 23.38% and NO₂ 25.81%.

Keywords: social restrictions large scale, covid-19, motor vehicle, industry, fuel oil consumption, air quality

1. Introduction

Since December 2019, the coronavirus disease 2019 (COVID-19) caused by the Severe Acute Respiratory Syn-drome Coronavirus 2 (SARS-CoV-2) has spread throughout China as well as other countries [1]. The outbreak of Coronavirus Disease (COVID-19) from Wuhan, China, has affected more than 250 countries and regions worldwide in only two months [2-4]. The outbreak of COVID-19 not only severely threatened the health of people around the world, but also had great impact on the global economy [1]. However, most of the clinical studies have been focused on Wuhan, and little is known about the disease outside of Wuhan in China [4]. From the existing epidemiological data, it can be seen that the epidemic caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) is far more widespread and contagious than that caused by severe acute respiratory syndrome coronavirus (SARS-CoV) and Middle East respiratory syndrome coronavirus (MERS-CoV) [5,6] The sudden appearance of this infectious disease has become the



most serious problem affecting public health and social and economic development at present [4,7] The covid-19 through from one person to another, the droplet from the respiratory tract often produced when coughing or sneezing and through the air.

Indonesia is a country in South Eastern Asia most cases COVID-19 the details cases 118,753 confirmations, 75.645 cured, treated 37,587 and 5,521 died. East java in indonesia is the highest number of cases COVID-19, with confirmation details cases 24.115 person (20.31%), 16.732 person cured, treated 5,566 person and 1,817 person died. Then second place with DKI Jakarta 23,939 person (20.16%) confirmation details cases, 15.006 person cured, treated 8.032 person and 901 person died [8]. Standard recommendations to prevent spread the COVID-19 from government and health department Indonesia among them are: hand washing, do not touch face, always wearing a mask, avoid various personal belongings, washing food, clean house hold furniture, take care of ethics cough and sneezing, increase immune response [8]. Next social distancing/physical distancing keep at a distance with others. Work from home, is this activity work from their homes. School, the delay or dropping mass meeting. Isolation, is separate individuals infected and pain of individuals healthy. Quarantine restrictions individual movement is apparently healthy but may have affected by contagion. Immune to improve the systems (sleep enough, drink and he suggested food from vegetable). Finally the government implement social restrictions large scale (PSBB), which is the movement of a good guy locals and villagers from outside, at the office, the mall, industry, market, tourist attractions, transportation. The purpose of this research is to know how much influence the applied of social restrictions large scale COVID-19 on motor vehicle and industry fuel consumption and the air quality in Surabaya city.

2. Methods and material

2.1. Material

The social restrictions large scale (PSBB) conducted begin stage one reached the stage three. Phase one started to hold on April 28th - May 11st, the two on May 12th - May 25st and the three May 26th - June 8st 2020 based on [9-13]. The evaluation of large scale social restrictions show that phase one, the number of positive COVID-19 and patient monitoring in Surabaya city is higher. From the data reported those positive COVID -19 to Thursday, May 7th 2020 in East Java some 592 patients people, 1,461 patients in control and the 2,881 people in monitoring. Based on this data surabaya administration extend the applied of social restrictions large scale stage two. The evaluation results social restrictions to large scale the two show that, covid-19 pandemic surabaya city the massive positive more by the number of cases, May 24 2020, COVID -19 as many as the number of positive 1,975 people, cured 175 people, and 172 people died. Based on this data the local government surabaya city, extend of large scale social restrictions stage three by farthest expanded in markets, shops, trading center, and industry. Social restrictions large-scale phase three starting from may 26 to June 8, 2020 implemented based on analysis and evaluation deeply to social restrictions large scale stage one and stage two [13]. The evaluation results the social restrictions large-scale stage three; between governor east java, Surabaya mayor, Gresik regent and Sidoarjo task force the handling of COVID-19 not extended.

2.2 Methods

Research locations in the surabaya city. Its population is set and sample of the research is the PT Pertamina Marketing Operation Region V Surabaya Jl Wonokromo 88 Surabaya and the office for Environmental Surabaya city Jl Jimerto 25-27 Surabaya. The data in this research was obtained

through interview techniques, observation and document study. From the research data analyzed in diskriptif quantitative.

3. Result and discussion

3.1. Result

3.1.1 The fuel oil consumption

The fuel oil Consumption for motor vehicles and industry during the period 42 day Before the applied of social restrictions large scale COVID -19 and 42 day when the applied of social restrictions large scale COVID -19 in the Surabaya city is as shown in table 1 and Figure 2.

Table 1. The average gasoline fuel consumption

No	Fuel Consumption Time		
	Before the applied of social restrictions large scale COVID-19 in kl/day	When the applied of social restrictions large scale COVID-19 in kl/day	Decline percentage (%)
1	12,976	9,743	24.92




Figure 1. Bar-chart for the average gasoline fuel consumption

Table 2. The average diesel oil consumption

No	Fuel Consumption Time		
	Before the applied of social restrictions large scale COVID-19 in kl/day	When the applied of social restrictions large scale COVID-19 in kl/day	Decline percentage (%)
1	6,060	4,391	27.54




Figure 2. Bar-chart for the average diesel fuel consumption

3.1.2. The air quality

The quality air due to any vehicle and industry for the period the 42 before the applied of social restrictions large scale COVID-19 and 42 the day when the applied of social restrictions large scale COVID-19 in the Surabaya city is as shows Table 3 and Figures 3.

Table 3. The average cosentration the air of particles of having a diameter of smaller than 10 micrometer (PM10)

No	Types of Particles		
	PM 10 before the applied of social restrictions large scale COVID-19	PM 10 when the applied of social restrictions large scale COVID-19	Decline percentage (%)
1	68	41	39.71




Figure 3. Bar-chart for the average air of particles cosentration of having a diameter of less than 10 micrometer (PM10)

Table 4. The average gas levels SO₂

No	Types of Gas		
	Gas levels of SO ₂ (% volume) before the applied of social restrictions large scale COVID-19	Gas levels of SO ₂ (% volume) when the applied of social restrictions large scale COVID-19	Decline percentage (%)
1	17.46	13.89	20.45




Figure 4. Bar-chart for the average gas levels SO₂

Table 5. The average gas levels CO

No	Types of Gas		
	Gas levels of CO (% volume) before the applied of social restrictions large scale COVID-19	Gas levels of CO (% volume) when the applied of social restrictions large scale COVID-19	Decline percentage (%)
1	15.33	12.67	17.35






Figure 5. Bar-chart for the average gas levels CO

Table 6. The average gas levels O₃

No	Types of Gas		
	Gas levels of O ₃ (% volume) before the applied of social restrictions large scale COVID-19	Gas levels of O ₃ (% volume) when the applied of social restrictions large scale COVID-19	Decline percentage (%)
1	11.33	8.75	23.38

**Figure 6.** Bar-chart for the average gas levels O₃**Table 7.** The average gas levels NO₂

No	Types of Gas		
	Gas levels of NO ₂ (% volume) before the applied of social restrictions large scale COVID-19	Gas levels of NO ₂ (% volume) when the applied of social restrictions large scale COVID-19	Decline percentage (%)
1	13.83	10.26	25.81

**Figure 7.** Bar-chart for the average gas levels NO₂

3.2. Discussion

Table 1 and Figure 1 show the fuel oil consumption gasoline, while Table 2 and Figure 2 show the fuel diesel oil consumption in the Surabaya city for 42 days before the applied of social restrictions large scale COVID-19 and 42 days when the applied of social restrictions large scale COVID-19. Gasoline fuel type (Table 1 and Figure 1) show fuel oil consumption decrease 24.92%, while diesel fuel type (Table 2 and Figure 2) show fuel oil consumption decrease 27.54 %. The decline fuel gasolin consumption caused the applied social restrictions large scale COVID-19 in the Surabaya city, students have to study at home, learning replaced through online/daring. The government office, their activities is limited shopping central many closed. The decrease diesel oil consumption not only because the activity of school, and central office, also machine industry only operated 50%.

Table 3 and Figure 3 show the air quality in the Surabaya city for 42 days before the implementation of PSBB and 42 days when the applied of social restrictions large scale air quality in the Surabaya city is better. This is shown in Table 3 and Figure 3 that the concentration of the air particles of the smallest size 10 micrometer (PM10) significant decline, that of 39.71%, it was caused mobility of motor vehicles and operational engine in the industry decrease. Table 4 and Figure 4 show the average daily gas levels of SO₂ decrease 20.45%, gas SO₂ is caused by the gas Incomplete combustion engine from motor vehicles and industrial. Table 5 and Figure 5 show to decrease average daily gas levels CO 17.35%, it is because of the vehicle volume and fuel oil consumption decrease. Table 6 and Figure 6 show decreased of average daily gas levels O₃ 23.38%, while Table 7 and Figure 7 show to decrease to average daily gas levels NO₂ 25.81%. Gas NO₂ is because the heat combustion chamber the higher, so that the gas emission NO₂ decrease.

4. Conclusion

With applied the social restrictions large scale COVID-19 motor vehicles and industry fuel consumption decrease the surabaya city, and air quality the better, this is shown that: (1) gasoline consumption decrease 24.92%, while diesel oil decrease 27,54%, (2) particles cosentration (PM 10) decrease 39.71% and levels gas SO₂ decrease 20.45 %, levels gas CO decrease 17.35 %, levels gas O₃ deareas 23.38%, and levels gas decrease NO₂ 25.81%.

5. Acknowledgement

Research is funded by the Engineering Faculty of *Universitas Negeri Surabaya*

6. Reference

- [1] Zhe Jin , Jing-Yi Liu , Rang Feng, Lu Ji , Zi-Li Jin**, Hai-Bo Li*. 2020. Drug treatment of coronavirus disease 2019 (COVID-19) in China. *European Journal of Pharmacology*. Volume 883, 15 September 2020, 173326.
- [2] Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, et al. A Novel Coronavirus from Patients with Pneumonia in China, 2019. *N Engl J Med*. 2020; 382(8):727–733. pmid:31978945.
- [3] WHO. Remarks by Dr Michael Ryan, Executive Director, WHO Health Emergencies Programme at media briefing on COVID-19 on 13 February 2020. <https://www.who.int/news-room/detail/13-02-2020-remarks-by-dr-michael-ryan-executive-director-who-health-emergencies-programme-at-media-briefing-on-covid-19-on-13-february-2020>
- [4] Zhenhuan Cao , Tongzeng Li , Lianchun Liang, Haibo Wang, Feili Wei, Sha Meng, Miaotian Cai, Yulong Zhang, Hui Xu, Jiaying Zhang, Ronghua Jin. 2020. Clinical characteristics of Coronavirus Disease 2019 patients in Beijing, China. June 17, 2020

- [5] McCloskey B, Heymann DL. SARS to novel coronavirus—old lessons and new lessons. *Epidemiol Infect.* 2020; 5;148:e22. pmid:32019614
- [6] Li Q, Guan X, Wu P, Wang X, Zhou L, Tong Y, et al. Early Transmission Dynamics in Wuhan, China, of Novel Coronavirus-Infected Pneumonia. *N Engl J Med.* 2020; 29:10.1056 pmid:31995857.
- [7] Xinhua. Last Updated: 2020-02-14 00:36. U.S. economist says impact of COVID-19 on Chinese, world economy limited(http://en.ce.cn/main/latest/202002/14/t20200214_34261901.shtml)
- [8] <http://www.google.com.covid19.go.id>. Accessed on august 6, 2020
- [9] *Peraturan Presiden RI No 21 Tahun 2020. Pembatasan Sosial Berskala Besar dalam Rangka Percepatan Penanganan COVID-19*
- [10] *Peraturan Menteri Kesehatan RI No 9 Tahun 2020. Tentang Pemberlakuan Pembatasan Sosial Bersekala Besar (PSBB) Kota Surabaya, Kabupaten Gresik dan Kabupaten Sidoarjo*
- [11] *Peraturan Gubernur Jawa Timur No 18 Tahun 2020. Tentang Pemberlakuan Pembatasan Sosial Bersekala Besar (PSBB) Kota Surabaya.*
- [12] *Peraturan Wali Kota Surabaya No 16 Tahun 2020. Tentang Pemberlakuan Pembatasan Sosial Bersekala Besar Kota Surabaya*
- [13] *Surat Keputusan Gubernur Jawa Timur Nomor 188.258/013/KPTS/2020 tentang Pemberlakuan PSBB Perpanjangan Kedua di wilayah Kota Surabaya, Kabupaten Sidoarjo dan Kabupaten Gresik*

The influence the applied of social restrictions large scale covid-19 the use of the motor vehicle and industry fuel oil consumption and the air quality in the Surabaya City

ORIGINALITY REPORT

11%

SIMILARITY INDEX

11%

INTERNET SOURCES

6%

PUBLICATIONS

5%

STUDENT PAPERS

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

1%

★ Hamong Soeharsono, Bayu K. Mahardika, Putu H. Sudipa, Tri K. Sari, Ida B. K. Suardana, Gusti Ngurah Mahardika. "Consensus insertion/deletions and amino acid variations of all coding and noncoding regions of the SARS-CoV-2 Omicron clades, including the XBB and BQ.1 lineages", Research Square Platform LLC, 2022

Publication

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off